Pain 92 (2001) 415–417

PAIN

www.elsevier.nl/locate/pain

Contents to Volume 92 (2001)

Numbers 1.2 – May 2001

EDITORIAL

Chest pain: cause and consequence of coronary artery bypass grafting?
M.D. Sullivan, J.A. Spertus (USA) 1

TOPICAL REVIEW

Mechanisms of opioid-induced pain and antinociceptive tolerance: descending facilitation and spinal dynorphin
T.W. Vanderah, M.H. Ossipov, J. Lai, T.P. Malan Jr., F. Porreca (USA) 5

RESEARCH PAPERS

Prevalence and characteristics of post coronary artery bypass graft surgery pain (PCP)
E. Eisenberg, Y. Pultorak, D. Pud, Y. Bar-El (Israel) 11
Vagal afferent signaling of a gastric mucosal acid insult to medullary, pontine, thalamic, hypothalamic and limbic, but not cortical, nuclei of the rat brain
T. Michl, M. Jocič, A. Heinemann, R. Schuligoi, P. Holzer (Austria) 19
Increased expression of γ-aminobutyric acid transporters GAT-1 and GAT-3 in the spinal trigeminal nucleus after facial carrageenan injections
C.-H. Ng, W.-Y. Ong (Singapore) 29
The roles of beliefs, catastrophizing, and coping in the functioning of patients with temporomandibular disorders
J.A. Turner, S.F. Dworkin, L. Mancl, K.H. Huggins, E.L. Truelove (USA) 41
The behavioural importance of dynamically activated descending inhibition from the *nucleus reticularis gigantocellularis pars alpha*
J. Azami, D.L. Green, M.H.T. Roberts, R. Monhemius (UK) 53
Effects of tramadol on T lymphocyte proliferation and natural killer cell activity in rats with sciatic constriction injury
Y.-C. Tsai, S.-J. Won (Taiwan) 63
Obtaining informed consent for clinical pain research: patients' concerns and information needs
D. Casarett, J. Karlawish, P. Sankar, K.B. Hirschman, D.A. Asch (USA) 71
Orexin-A, an hypothalamic peptide with analgesic properties
S. Bingham, P.T. Davey, A.J. Babbs, E.A. Irving, M.J. Sammons, M. Wyles, P. Jeffrey, L. Cutler, I. Riba, A. Johns, R.A. Porter, N. Upton, A.J. Hunter, A.A. Parsons (UK) 81
The role of central and peripheral Cannabinoid$_1$ receptors in the antihyperalgesic activity of cannabinoids in a model of neuropathic pain
A. Fox, A. Kesingland, C. Gentry, K. McNair, S. Patel, L. Urban, I. James (UK) 91
An in vivo rat model to study calcitonin gene related peptide release following activation of the trigeminal vascular system
V. Limmroth, Z. Katsarava, B. Liedert, H. Guehring, K. Schmitz, H.-C. Diener, M.C. Michel (Germany) 101
Characterization of nociceptive responses and spinal releases of nitric oxide metabolites and glutamate evoked by different concentrations of formalin in rats
K. Okuda, C. Sakurada, M. Takahashi, T. Yamada, T. Sakurada (Japan) 107
Modulation of jaw muscle spindle afferent activity following intramuscular injections with hypertonic saline
J.Y. Ro, N.F. Capra (USA) 117
Activation of brainstem *N*-methyl-D-aspartate receptors is required for the analgesic actions of morphine given systemically
M.M. Heinricher, J.C. Schouten, E.E. Jobst (USA) 129
The density of remaining nerve endings in human skin with and without postherpetic neuralgia after shingles
A.L. Oaklander (USA) 139
The LANSS Pain Scale: the Leeds assessment of neuropathic symptoms and signs
M. Bennett (UK) 147
Microsurgical DREZotomy for pain due to spinal cord and/or cauda equina injuries: long-term results in a series of 44 patients
M. Sindou, P. Mertens, M. Wael (France, Egypt) 159
Pain assessment in cognitively impaired and unimpaired older adults: a comparison of four scales
J.T. Chibnall, R.C. Tait (USA) 173
Spatial discrimination thresholds for pain and touch in human hairy skin
T. Schlereth, W. Magerl, R.-D. Treede (Germany) 187

A cross-national study of the course of persistent pain in primary care
O. Gureje, G.E. Simon, M. Von Korff (Nigeria, USA) 195
The role of 5-hydroxytryptamine$_{1A}$ and 5-hydroxytryptamine$_{1B}$ receptors in modulating spinal nociceptive transmission in normal and carrageenan-injected rats
Y.-Q. Zhang, Z.-L. Yang, X. Gao, G.-C. Wu (China) 201
Release of glutamate, nitric oxide and prostaglandin E_2 and metabolic activity in the spinal cord of rats following peripheral nociceptive stimulation
G. Vetter, G. Geisslinger, I. Tegeder (Germany) 213
Chronic low-level administration of diquat increases the nociceptive response to gastric distension in rats: role of mast cells and tachykinin receptor activation
P.M. Anton, V. Theodorou, J. Fioramonti, L. Bueno (France) 219
The association of hormone replacement therapy with experimental pain responses in postmenopausal women
R.B. Fillingim, R.R. Edwards (USA) 229
Effects of spinally delivered N- and P-type voltage-dependent calcium channel antagonists on dorsal horn neuronal responses in a rat model of neuropathy
E.A. Matthews, A.H. Dickenson (UK) 235
The effects of failure feedback and pain-related fear on pain report, pain tolerance, and pain avoidance in chronic low back pain patients
J.H.C. van den Hout, J.W.S. Vlaeyen, R.M.A. Houben, A.P.M. Soeters, M.L. Peters (The Netherlands) 247
Influence of painful chronic neuropathy on neurogenic inflammation
N. Yonehara, M. Yoshimura (Japan) 259
Projections from the marginal zone and deep dorsal horn to the ventrobasal nuclei of the primate thalamus
W.D. Willis Jr., X. Zhang, C.N. Honda, G.J. Giesler Jr. (USA) 267
The analgesic effect of codeine as compared to imipramine in different human experimental pain models
T.P. Enggaard, L. Poulsen, L. Arendt-Nielsen, S.H. Hansen, I. Bjørnsdottir, L.F. Gram, S.H. Sindrup (Denmark) 277
Childhood victimization and pain in adulthood: a prospective investigation
K.G. Raphael, C.S. Widom, G. Lange (USA) 283
Central activation by histamine-induced itch: analogies to pain processing: a correlational analysis of O-15 H_2O positron emission tomography studies
A. Drzezga, U. Darsow, R.-D. Treede, H. Siebner, M. Frisch, F. Munz, F. Weilke, J. Ring, M. Schwaiger, P. Bartenstein (Germany) 295

CLINICAL NOTES

Computed tomography-guided neurolytic celiac plexus block with alcohol complicated by superior mesenteric venous thrombosis
D.R. Fitzgibbon, U.P. Schmiedl, M.N. Sinanan (USA) 307
Treatment of central post-stroke pain with oral ketamine
P.G. Vick, T.J. Lamer (USA) 311

LETTERS TO THE EDITOR

200 mg daily of lamotrigine has an analgesic effect in neuropathic pain, but in which patient and when?
A. Sandner-Kiesling, C. Dorn, G. Rumpold-Seitlinger, G. Schwarz (Austria, USA) 315
Reply to Dr Sander-Kiesling et al.
G.J. McCleane (UK) 317
Reply to J.D. Loeser
T.E. Smith, M.S. Chong (UK) 317

Number 3 – June 2001

RESEARCH PAPERS

Antinociceptive reflex alteration in acute posttraumatic headache following whiplash injury
M. Keidel, P. Rieschke, P. Stude, R. Eisentraut, R. van Schayck, H.-C. Diener (Germany, USA) 319
Muscle pain inhibits cutaneous touch perception
C.S. Stohler, C.J. Kowalski, J.P. Lund (USA, Canada) 327
A new model of visceral pain and referred hyperalgesia in the mouse
J.M.A. Laird, L. Martinez-Caro, E. Garcia-Nicas, F. Cervero (Spain) 335
ATP affects both axons and Schwann cells of unmyelinated C fibres
D. Irnich, R. Burgstahler, H. Bostock, P. Grafe (Germany, UK) 343
Topical bicuculline to the rat spinal cord induces highly localized allodynia that is mediated by spinal prostaglandins
Z. Zhang, M.P. Hefferan, C.W. Loomis (Canada) 351
Cerebrospinal fluid nitric oxide metabolites are novel predictors of pain relief in degenerative lumbar diseases
S. Kimura, K. Watanabe, Y. Yajiri, S. Uchiyama, K. Hasegawa, K. Shibuki, N. Endo (Japan) 363
'Balanced analgesia' in the perioperative period: is there a place for ketamine?
M. De Kock, P. Lavand'homme, H. Waterloos (Belgium) 373
Quality of sleep and its daily relationship to pain intensity in hospitalized adult burn patients
I. Raymond, T.A. Nielsen, G. Lavigne, C. Manzini, M. Choinière (Canada) 381
Intravenous morphine does not modify dorsal horn touch-evoked allodynia in the mononeuropathic rat: a Fos study
G. Catheline, S. Le Guen, J.-M. Besson (France) 389

Analysis of stimulus-evoked pain in patients with myofascial temporomandibular pain disorders
P. Svensson, T. List, G. Hector (Denmark, Sweden) 399

Author index to Volume 92 411
Contents to Volume 92 415